


Lesson 21: The Graph of the Natural Logarithm Function

Classwork

Exploratory Challenge

Your task is to compare graphs of base b logarithm functions to the graph of the common logarithm function $f(x) = \log(x)$ and summarize your results with your group. Recall that the base of the common logarithm function is 10. A graph of f is provided below.

- Select at least one base value from this list: $\frac{1}{10}$, $\frac{1}{2}$, 2, 5, 20, 100. Write a function in the form $g(x) = \log_b(x)$ for your selected base value, b .
- Graph the functions f and g in the same viewing window using a graphing calculator or other graphing application, and then add a sketch of the graph of g to the graph of f shown below.



- Describe how the graph of g for the base you selected compares to the graph of $f(x) = \log(x)$.

- d. Share your results with your group and record observations on the graphic organizer below. Prepare a group presentation that summarizes the group’s findings.

How does the graph of $g(x) = \log_b(x)$ compare to the graph of $f(x) = \log(x)$ for various values of b ?	
$0 < b < 1$	
$1 < b < 10$	
$b > 10$	

Exercise 1

Use the change of base property to rewrite each function as a common logarithm.

Base b

Base 10 (Common Logarithm)

$$g(x) = \log_{\frac{1}{4}}(x)$$

$$g(x) = \log_{\frac{1}{2}}(x)$$

$$g(x) = \log_2(x)$$


$$g(x) = \log_5(x)$$

$$g(x) = \log_{20}(x)$$

$$g(x) = \log_{100}(x)$$

Example 1: The Graph of the Natural Logarithm Function $f(x) = \ln(x)$


Graph the natural logarithm function below to demonstrate where it sits in relation to the base 2 and base 10 logarithm functions.




Example 2

Graph each function by applying transformations of the graphs of the natural logarithm function.

a. $f(x) = 3 \ln(x - 1)$



b. $g(x) = \log_6(x) - 2$



Problem Set

- Rewrite each logarithm function as a natural logarithm function.
 - $f(x) = \log_5(x)$
 - $f(x) = \log_2(x - 3)$
 - $f(x) = \log_2\left(\frac{x}{3}\right)$
 - $f(x) = 3 - \log(x)$
 - $f(x) = 2\log(x + 3)$
 - $f(x) = \log_5(25x)$
- Describe each function as a transformation of the natural logarithm function $f(x) = \ln(x)$.
 - $g(x) = 3 \ln(x + 2)$
 - $g(x) = -\ln(1 - x)$
 - $g(x) = 2 + \ln(e^2x)$
 - $g(x) = \log_5(25x)$
- Sketch the graphs of each function in Problem 2 and identify the key features including intercepts, decreasing or increasing intervals, and the vertical asymptote.
- Solve the equation $e^{-x} = \ln(x)$ graphically.
- Use a graphical approach to explain why the equation $\log(x) = \ln(x)$ has only one solution.
- Juliet tried to solve this equation as shown below using the change of base property and concluded there is no solution because $\ln(10) \neq 1$. Construct an argument to support or refute her reasoning.

$$\begin{aligned} \log(x) &= \ln(x) \\ \frac{\ln(x)}{\ln(10)} &= \ln(x) \\ \left(\frac{\ln(x)}{\ln(10)}\right) \frac{1}{\ln(x)} &= (\ln(x)) \frac{1}{\ln(x)} \\ \frac{1}{\ln(10)} &= 1 \end{aligned}$$

- Consider the function f given by $f(x) = \log_x(100)$ for $x > 0$ and $x \neq 1$.
 - What are the values of $f(100)$, $f(10)$, and $f(\sqrt{10})$?
 - Why is the value 1 excluded from the domain of this function?
 - Find a value x so that $f(x) = 0.5$.
 - Find a value w so that $f(w) = -1$.
 - Sketch a graph of $y = \log_x(100)$ for $x > 0$ and $x \neq 1$.